

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 14 October 2020 Revision date: 14 October 2020 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Substance
Trade name : ClearSpirit

Chemical name : Solvent naphtha, petroleum, medium aliphatic

CAS-No. : 64742-88-7

Synonyms : Solvent naphtha (petroleum), medium aliphatic / Naphtha, solvent (petroleum), medium

aliphatic / Mineral spirits / Stoddard Solvent (Type IIC) / Solvent naphtha medium aliphatic / Solvent naphtha, medium heavy, aliphatic hydrocarbons / Medium aliphatic solvent naphtha / White spirit type 0 / Aliphatic naphtha / Solvent naphtha, petroleum, medium aliphatic / Solvent naphtha(petroleum), medium aliphatic / Aliphatic petroleum solvent (naphtha) / Stoddard chloride / Stoddard solvent / Medium aliphatic solvent naphtha (petroleum) / Solvent naphtha

(petroleum), medium aliphatic; Straight run kerosine

1.2. Recommended use and restrictions on use

Use of the substance/mixture : white spirit, paint solvent, extraction solvent, ligher fluid

1.3. Supplier

Manufacturer

ClearShift LLC

5910 N Central Expressway Suite 1800

Dallas, Texas 75206 Tel:214-396-9322

Email: SDS@goclearshift.com

1.4. Emergency telephone number

Emergency number : 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3 Flamm Serious eye damage/eye irritation Category 2A Cause Specific target organ toxicity (single exposure) May o

Category 3

Specific target organ toxicity (repeated exposure)

Category 1

Aspiration hazard Category 1

Flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness

Causes damage to organs (central nervous system) through prolonged or repeated exposure

(Inhalation)

May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : Flammable liquid and vapor

May be fatal if swallowed and enters airways

Causes serious eye irritation
May cause drowsiness or dizziness

Causes damage to organs (central nervous system) through prolonged or repeated exposure

(Inhalation)

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

14 October 2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe mist, spray, vapors. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear eye protection, protective gloves.

If swallowed: Immediately call a poison center or doctor.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center or doctor if you feel unwell.

Do NOT induce vomiting.

If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

In case of fire: Use extinguishing powder, foam, carbon dioxide (CO2), Dry chemical, sand,

Water spray or fog to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Other hazards which do not result in classification

Other hazards not contributing to the classification

: Toxic to aquatic life with long lasting effects. Handling this product may result in electrostatic accumulation. Use proper grounding procedures.

2.4. **Unknown acute toxicity (GHS US)**

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

Name	Product identifier	%	GHS US classification
Solvent naphtha, petroleum, medium aliphatic (Main constituent)	(CAS-No.) 64742-88-7	100	Flam. Liq. 3, H226 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304

3.2. **Mixtures**

Not applicable

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general

: If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if

breathing difficulty persists.

First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Seek medical attention if irritation develops.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes damage to organs (central nervous system) through prolonged or repeated exposure

(Inhalation).

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing

chemical pneumonia. Risk of lung edema.

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

14 October 2020 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), dry chemical powder, foam. dry extinguishing powder. Sand. Water

spray. Water fog.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. On combustion, forms: carbon oxides (CO and CO2).

Explosion hazard : Vapors may form explosive mixture with air. Heavier than air, vapors may travel long distances

along ground, ignite and flash back to source.

Hazardous decomposition products in case of

: Thermal decomposition may produce : Toxic and Hazardous Substances.

5.3. Special protective equipment and precautions for fire-fighters

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate unnecessary personnel.

6.1.1. For non-emergency personnel

Protective equipment : Wear personal protective equipment. For further information refer to section 8: "Exposure

controls/personal protection".

Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin **Emergency procedures**

and eyes. Do not breathe mist, spray, vapors.

612 For emergency responders

Wear recommended personal protective equipment. For further information refer to section 8: Protective equipment

"Exposure controls/personal protection".

Emergency procedures Eliminate all ignition sources if safe to do so. Prevent entry to sewers and public waters. Notify

authorities if liquid enters sewers or public waters.

Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations"

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapor. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handling this

product may result in electrostatic accumulation. Use proper grounding procedures. Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosionproof equipment. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe mist, spray, vapors. Use only outdoors or in a well-ventilated area.

Wash hands and other exposed areas with mild soap and water before eating, drinking or Hygiene measures

smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

14 October 2020 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment. Take precautionary measures against static

discharge.

Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container closed when

not in use. Store locked up.

Incompatible materials : None known.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

In case of repeated or prolonged contact wear gloves. Impermeable protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. An approved organic vapor respirator/supplied air or self-contained breathing apparatus must be used when vapor concentration exceeds applicable exposure limits

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.

Color : Clear to light yellow Characteristic Odor Odor threshold No data available рΗ : No data available No data available Melting point Freezing point : No data available Boiling point : No data available 36.5 °C (97.7 °F) Flash point Relative evaporation rate (butyl acetate=1) : No data available : Not applicable. Flammability (solid, gas)

Vapor pressure : < 1 psi

Relative vapor density at 20 °C : No data available Relative density : No data available

Specific gravity / density : 0.735

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

14 October 2020 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor. Heavier than air, vapors may travel long distances along ground, ignite and flash back to source.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Vapors may form explosive mixture with air.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)

Cute toxicity (dermal)

Cute toxicity (dermal)

Cute toxicity (inhalation)

Cute toxicity (

Respiratory or skin sensitization

Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity

Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity

Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity

Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Causes damage to organs (central nervous system) through prolonged or repeated exposure

(Inhalation).

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : No data available

Symptoms/effects : Causes damage to organs (central nervous system) through prolonged or repeated exposure

(Inhalation).

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing

chemical pneumonia. Risk of lung edema.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

14 October 2020 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Flammable vapors may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1268 Petroleum products, n.o.s, 3, III

UN-No.(DOT) : UN1268

Proper Shipping Name (DOT) : Petroleum products, n.o.s

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : III - Minor Danger
Hazard labels (DOT) : 3 - Flammable liquid



Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport document description : UN1268 PETROLEUM PRODUCTS, N.O.S., 3, III

UN-No. (TDG) : UN1268

Proper Shipping Name (Transportation of : PETROLEUM PRODUCTS, N.O.S.

Dangerous Goods)

TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids

Packing group : III - Minor Danger

Transport by sea

Transport document description (IMDG) : UN 1268 PETROLEUM DISTILLATES, N.O.S., 3, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

UN-No. (IMDG) : 1268

Proper Shipping Name (IMDG) : PETROLEUM DISTILLATES, N.O.S.

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

Air transport

Transport document description (IATA) : UN 1268 Petroleum distillates, n.o.s., 3, III, ENVIRONMENTALLY HAZARDOUS

UN-No. (IATA) : 1268

Proper Shipping Name (IATA) : Petroleum distillates, n.o.s.

Class (IATA) : 3 - Flammable Liquids

Packing group (IATA) : III - Minor Danger

14 October 2020 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 14 October 2020

Other information : None.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14 October 2020 EN (English US) 7/7